

SNAKE



IT

– Montatura in metallo verniciato bianco o nero raggrizzante; tubo in santoprene bianco o nero opaco; diffusore in polycarbonato sabbiato.

EN

– White or black wrinkle-effect coated metal base; white or matt black santoprene tube; sandblasted polycarbonate diffuser.

ES

– Base de metal pintado de color blanco o negro efecto arrugado; tubo de santoprene blanco o negro mate; difusor de polycarbonato arenado.

DE

– Fuß aus Metall mit Lackierung mit weißem oder schwarzem Schrumpflack; Profil aus weißem oder mattschwarzem Santoprene; Diffusor aus sandgestrahltem Polycarbonat.

FR

– Base en métal verni blanc ou noir effet froissé ; tube en santoprène blanc ou noir mat ; diffuseur en polycarbonate sablé.

PY

– Металлическое основание, выкрашенное в белый или черный цвет со складчатой отделкой; трубка из матового белого или черного сантопрена; рассеиватель из поликарбоната с пескоструйной отделкой.



Menu del giorno

Antipasti
Cavolfiori misti
Cavolfiori caprese
Macedonia al limone

Primi
Cavolfiori con tonno fresco
Fritto di pasta
Risotto alla marinara

Sei secondi
Cavolfiori alla griglia
Fogliata all'aceto balsamico
Rombolo al forno con patate

Contorni
Patate al forno
Insalata mista
Verdure gratinate







SNAKE_W1

topLED 2 W | 220-240 V | CRI 90



TYPE	CODE	COLOUR
<input type="checkbox"/> WHITE	7223	3000 K
<input checked="" type="checkbox"/> BLACK	7224	200 lm

ELECTRONICS

-  **KIT73** | ON/OFF Driver (max. 10 W)
-  **KIT72** | ON/OFF Driver (max. 20 W)

SNAKE_W1 DRIVER INCLUDED


topLED 2 W | 220-240 V | CRI 90



TYPE	CODE	COLOUR
<input type="checkbox"/> WHITE	7220	3000 K
<input checked="" type="checkbox"/> BLACK	7221	200 lm

SNAKE_W1 SWITCH

topLED 2 W | 220-240 V | CRI 90



TYPE	CODE	COLOUR
<input type="checkbox"/> WHITE	7232	3000 K
<input checked="" type="checkbox"/> BLACK	7233	200 lm



ON/OFF SWITCH



SNAKE_W2

topLED 2 W | 220-240 V | CRI 90




TYPE	CODE	COLOUR
<input type="checkbox"/> WHITE	7229	3000 K
<input checked="" type="checkbox"/> BLACK	7230	200 lm

ELECTRONICS

-  **KIT73** | ON/OFF Driver (max. 10 W)
-  **KIT72** | ON/OFF Driver (max. 20 W)

SNAKE_W3 DRIVER INCLUDED


topLED 2 W | 220-240 V | CRI 90



TYPE	CODE	COLOUR
<input type="checkbox"/> WHITE	7226	3000 K
<input checked="" type="checkbox"/> BLACK	7227	200 lm

SNAKE_W3 SWITCH

topLED 2 W | 220-240 V | CRI 90



TYPE	CODE	COLOUR
<input type="checkbox"/> WHITE	7234	3000 K
<input checked="" type="checkbox"/> BLACK	7235	200 lm



ON/OFF SWITCH